



High Flow Pleated Filter Cartridge – UHF Series

Up to 50% smaller filter system possible with this unique element



High Flow Pleated Filter Cartridge

UHF High Flow Pleated Filter Cartridge is a large diameter, coreless single open end pleated cartridge designed to reduce your system investment cost, disposal cost as well as long service life.

You can reduce up to 50% of filter system and save up to 60% of change out times compared with conventional cartridge system, and give you a better sealing to ensure a perfect filtration.

Features

This pleated cartridge has a unique inside to outside flow pattern, its structure with crescent shape pleated geometry, we have three choices of length to choose depends on total flow volume, it gives you the flow up to of 114 m³/hr per single length cartridge and surface area of 11 m² !

Specification

Length – 20", 40", 60"
Surface Area – 3.6, 7.2, 11 m²


Micron rating available :
1, 3, 5, 10, 20, 40, 70 micron Absolute

Connection
Single open end

Max Flow Rate
20" 40 m³/hr
40" 78 m³/hr
60" 114 m³/hr



Performance Chart



Applications

Food and Beverage
Industrial DI Water
Chemical Industry
Paint and Coating
Micro-electronic Industry
Petro-chemical Industry




How to order

Filter Cartridge Code UHF - 1 - 20 - E

Rating (Absolute)
1, 3, 5, 10, 20
40, 70 micron

Length
20 - 10"
40 - 40"
60 - 60"

O ring
E - EPDM
V- VITON



Asia Pacific Regional Office
Universal Filtration Solutions Asia Pte Ltd
81 Ubi Ave 4, UB-ONE #06-28, Singapore 408830