FILTER CARTRIDGE DATASHEET





PTFE Membrane Filter Cartridge UPTFE Series

PTFE MEMBRANE FILTER CARTRIDGE

PTFE MEMBRANE FILTER CARTRIDGE UNIT

Contents

PTFE Membrane Filter Cartridge	Page 1
Technical Detail	Page 2
How to order	Page 3

PTFE MEMBRANE FILTER CARTRIDGE

PTFE MEMBRANE FILTER CARTRIDGE UNIT



PTFE Membrane Filter Cartridge UPTFE Series

HIGH EFFICIENCY AND CONSISTENT FILTRATION

It is constructed of hydrophobic Polytetrafluotoethylene membrane media for your critical application

Features

Hydrophobic PTFE Membrane media

High flow and low pressure drop

No fiber release

100% integrity tested

FDA compliance material

Specification


- Length 9.75", 10", 20", 30" 40"
- Material used :

Media – PTFE , Support layer & Cage - PP Seal material – Silicone, EPDM, NBR, VITON, Teflon

- Micron rating available :
 0.1, 0.22, 0.45 micron (for Liquid)
 - 0.01 , $0.02\ micron$ (for gases)
- Max operating temperature 80 deg C
- Max differential pressure 4 Bar
- Sterilization Temperature 100 times, 30 min cycles at 121 deg C

FILTER CARTRIDGE DATASHEET

Performance Chart



S-SS304

Univ**ersal Filtr**ation

How To Order From Us

Send us an inquiry, we will respond with a quote

Whether its for filter housing, filter bags, cartridges, or customisable solutions, we'll respond with a quotation for your needs. We ensure the highest quality finishes and consistency in our products. Email us your requirements and we'll get in touch.

3

Purchase order & agreement, and production

Once a purchase order is made and our payments terms are agreed to, we'll begin production of your order. Depending on the order, our lead time would vary between one week to four weeks. We'll keep you updated on the progress and status.

Completion, delivery, and sea freight

Once completed, we'll arrange a sea freight shipment to your specified location. We deliver internationally. Delivery by courier is also available. Clients can choose to arrange for self collection direct from our factories through a forwarder, if they would like to handle their own shipment.

For Inquiry contact us at Sales-Inquiry@universal-filtration.com

rsal Filti

© 2020 Universal Filtration Solutions Asia Pte Ltd. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this document concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Universal Filtration Solutions Asia Pte Ltd as to the effects of such use or the results to be obtained. Universal Filtration Solutions Asia Pte Ltd assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

For Inquiry contact us at Sales-Inquiry@universal-filtration.com

Asia Pacific Regional Office Universal Filtration Solutions Asia Pte Ltd 81 Ubi Ave 4, UB-ONE #06-28 Singapore 408830

PTFE MEMBRANE FILTER CARTRIDGE

PTFE MEMBRANE FILTER CARTRIDGE UNIT