FILTER CARTRIDGE DATASHEET





Cylindrical Stainless Steel Cartridge USC Series

CYLINDRICAL STAINLESS STEEL CARTRIDGE

CYLINDRICAL STAINLESS STEEL CARTRIDGEUNIT

Contents

Cylindrical Stainless Steel Cartridge	Page 1
Technical Detail	Page 2
How to order	Page 3

CYLINDRICAL STAINLESS STEEL CARTRIDGE

CYLINDRICAL STAINLESS STEEL CARTRIDGEUNIT



Cylindrical Stainless Steel Cartridge – USC Series

RE-USABLE, HIGH TEMPERATURE, HIGH PRESSURE APPLICATION

Our Cylinder Filter Cartridges are made with FiveLayers Sintered Wire Cloth, with filter rating ranging from 0.2micron to 200micron.


Five-Layer Sintered stainless steel wire mesh are sintered together in vacuum to give you a very fine micron

filtering, good permeability, high strength, easy to clean,

good corrosion resistance, durable at work and no immigration of materials.

Features

Cross section view



Specification

- Length 9.75", 10", 20", 30" 40"
- Material used :

SS304, SS316, SS316L


• Micron rating available :

0.2 - 100 micron

Connection Type
DOE, SOE (222/226), Thread

FILTER CARTRIDGE DATASHEET

Performance Chart



Universal Filtration

As request

Order Specification Code

Filter Cartridge Code USC- S-1-40-3E-M

1

A - SS304	
S- SS316	
SL- SS316L	
Rating	
0.2-100 micron	
Length	
975 – 9.75 [°]	
10-10"	11
20 - 20"	
30 - 30"	
40 - 40"	
Connection type	
DOE - DOE	
3 – 222/Flat	
7 – 222/FIN	
6 – 226 /Flat	
8 – 226/FIN	
Other NPT/BSP T	hread
Seal Material	
E – EPDM	
B - NBR	
V – VITON	
S – Silicone	
TV - TEV	
.,,	
Modification	

Univ**ersal Filtra**tion

How To Order From Us

Send us an inquiry, we will respond with a quote

Whether its for filter housing, filter bags, cartridges, or customisable solutions, we'll respond with a quotation for your needs. We ensure the highest quality finishes and consistency in our products. Email us your requirements and we'll get in touch.

Purchase order & agreement, and production

Once a purchase order is made and our payments terms are agreed to, we'll begin production of your order. Depending on the order, our lead time would vary between one week to four weeks. We'll keep you updated on the progress and status.

Completion, delivery, and sea freight

Once completed, we'll arrange a sea freight shipment to your specified location. We deliver internationally. Delivery by courier is also available. Clients can choose to arrange for self collection direct from our factories through a forwarder, if they would like to handle their own shipment.

For Inquiry contact us at Sales-Inquiry@universal-filtration.com

rsal Filti

© 2020 Universal Filtration Solutions Asia Pte Ltd. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. All information and recommendations appearing in this document concerning the use of products described herein are based on tests believed to be reliable. However, it is the user's responsibility to determine the suitability for his own use of such products. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by Universal Filtration Solutions Asia Pte Ltd as to the effects of such use or the results to be obtained. Universal Filtration Solutions Asia Pte Ltd assumes no liability arising out of the use by others of such products. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or government regulations.

For Inquiry contact us at Sales-Inquiry@universal-filtration.com

Asia Pacific Regional Office Universal Filtration Solutions Asia Pte Ltd 81 Ubi Ave 4, UB-ONE #06-28 Singapore 408830

CYLINDRICAL STAINLESS STEEL CARTRIDGE

CYLINDRICAL STAINLESS STEEL CARTRIDGEUNIT