



# Universal Ring Filter Bag Series

SBR201912341

RING FILTER BAG

RING FILTER BAG UNIT

# Contents

<b>Universal Ring Filter Bag Series</b>	<b>Page 1</b>
<b>Technical Detail</b>	<b>Page 2</b>
<b>How to order</b>	<b>Page 3</b>
<b>Universal Filtration Reference</b>	<b>Page 4</b>

## Universal Ring Filter Bag Series



### FOR AFFORDABLE AND RELIABLE FILTRATION APPLICATIONS

This bag is affordable and reliable. Commonly used filter bag to meet your general application, this filter bag uses silicone free needle felt material and high quality heavy duty thread to ensure high filtration performance.

### Features

- For use in almost every application, with wide range of filter media choices.
- Economic and it fits in most of the filter vessel.
- Special diameter bag on request is available for your vessel.
- Strong zinc coated ring to ensure diameter stability, SS Ring an option for corrosive chemicals

### Specification

- Material used :  
Polypropylene, Polyester, Teflon Felt, Nomex felt, NMO mesh
- Micron rating available :  
For PO, PE & Nomex: 1, 5, 10, 25, 50, 75, 100, 150, 200 micron  
For Teflon: 1, 5, 10 micron  
For NMO Mesh: 25, 50, 80, 100, 125, 150, 200, 250, 300, 400, 600, 800, 1000 micron
- Filter Bag Size  
#1 ( 7" dia X 17" length )  
#2 ( 7" dia X 32" length )  
#3 ( 4" dia X 9" length )  
#4 ( 4" dia X 15" length )  
#5 ( 6" dia X 20" length )

## Order Specification Code<sup>1</sup>

### Filter Bag Code **PO – 1 – P 1 E - M**

#### Material

PO- Polypropylene

PE- Polyester

#### Rating

0.5, 1, 5, 10, 25, 50, 100,  
150, 200 micron

#### Cover

P – Plain

PN – Polypropylene Netting

#### Size

1 – 7" X 17"    2 – 7" X 32"

3 – 4" X 9"    4 – 4" X 15"

5 – 6" X 20"

#### Plastic Collar

E – Polypropylene

H – Polyester

N – Nylon


EF – FSI Polypropylene Ring

HF- FSI Polyester Ring

#### Suffix –


M - Modification

## Filter Bag Ring Materials



"S"

Steel Ring (STD)



"SS"

Stainless steel Ring




"E"

Polypropylene Ring



"H"

Polyester Ring



"Z"

Nylon Ring

## How To Order From US

### Send us an inquiry, we will respond with a quote

Whether its for filter housing, filter bags, cartridges, or customisable solutions, we'll respond with a quotation for your needs. We ensure the highest quality finishes and consistency in our products. Email us your requirements and we'll get in touch.

### Purchase order & agreement, and production

Once a purchase order is made and our payments terms are agreed to, we'll begin production of your order. Depending on the order, our lead time would vary between one week to four weeks. We'll keep you updated on the progress and status.

### Completion, delivery, and sea freight

Once completed, we'll arrange a sea freight shipment to your specified location. We deliver internationally. Delivery by courier is also available. Clients can choose to arrange for self collection direct from our factories through a forwarder, if they would like to handle their own shipment.

For Inquiry contact us at [Sales-Inquiry@universal-filtration.com](mailto:Sales-Inquiry@universal-filtration.com)

# Universal Filtration<sup>1</sup> Material Reference

## Universal Filter Bag Materials

Product Code	Bag Material	Manufacture Type
PO	Polypropylene Felt	Sewn/ Welded
POXL	Polypropylene Extended Life Felt	Sewn/ Welded
PE	Polyester Felt	Sewn/ Welded
PEXL	Polyester Extended Life Felt	Sewn/ Welded
NT	Polyaramide	Seam
PTFE	Teflon	Seam
NMO	Nylon Monofilament	Seam
PO-LCR-100	3 layers Polypropylene Meltblown	Sewn/ Welded
PO-LCR-500	8-12 layers Polypropylene Meltblown	Sewn/ Welded

## Universal Filter Bag Specifications

Product Code	Material	Structure	Sewing method	Filtering Method	Operating temperature	Accuracy
PO	Polypropylene	Needle Felt	Sewn/ Welded	Deep	80	engineering
POXL	Long life polypropylene		Sewn/ Welded	Deep	80	engineering
PE	Polyester		Sewn/ Welded	Deep	170	engineering
PEXL	Long life Polyester		Sewn/ Welded	Deep	170	engineering
NT	Polyaramide		Seam	Deep	220	engineering
PTFE	Teflon		Seam	Deep	270	engineering
NMO	Nylon	Monofilament	Seam	Surface	170	absolute
PO-LCR-100	3 layers Polypropylene Meltblown	Meltblown	Sewn/ Welded	Adsorption	80	absolute
PO-LCR-500	8-12 layers Polypropylene Meltblown		Sewn/ Welded	Adsorption	80	absolute

SBR201912341

(1) For more detailed descriptions and information suited for your requirements, contact us at [sales-inquiry@universal-filtration.com](mailto:sales-inquiry@universal-filtration.com). Uses may vary depending on needs and requirements of end client.

# Universal Filtration <sup>1</sup> Specification Reference

## Universal Filter Bag Micron Rating Choices

Material	Micron Retention Ratings															
	0.5	1	5	10	25	50	75	100	150	200	250	300	400	600	800	1000
PE	*	*	*	*	*	*	*	*	*	*						
PO	*	*	*	*	*	*	*	*	*	*						
PEXL	*	*	*	*	*	*										
POXL	*	*	*	*	*	*										
NMO				*	*	*	*	*	*	*	*	*	*	*	*	*
PO-LCR-100	*	*	*	*	*	*										
PO-LCR-500	*	*	*	*	*	*										
NT		*	*	*	*	*		*								
PTFE		*	*	*						*						

Sizes and ratings are in microns (1 micron = 0.000001 meters)

## Universal Filter Bag Length and Size Selection

Size Code	Diameter	Bag Length	Flow Rate	Filter Surface Area	Inflated Volume
01	7" (177.8mm)	17" (431.8mm)	20m³/h	0.25m²	8.0 L
02	7" (177.8mm)	32" (812.8mm)	40m³/h	0.50m²	17.0 L
03	4" (101.6mm)	8" (203.2mm)	6m³/h	0.09m²	1.30 L
04	4" (101.6mm)	14" (355.0mm)	12m³/h	0.16m²	2.50 L
05	4" (101.6mm)	20" (508.0mm)	18m³/h	0.20m²	3.80 L

\*Custom diameter and bag length available on request

SBR201912341

**For Inquiry contact us at [Sales-Inquiry@universal-filtration.com](mailto:Sales-Inquiry@universal-filtration.com)**

**Asia Pacific Regional Office**  
**Universal Filtration Solutions Asia Pte Ltd**  
**81 Ubi Ave 4, UB-ONE #06-28**  
**Singapore 408830**

SBR201912341

RING FILTER BAG

**RING FILTER BAG UNIT**